


LINEAR MOTION 2012





LINEAR MOTION 2012





В	BALL BUSHING			
		14 ~ 26		
	SERIES LMEAS, ALL COMES WITH FIXING HOLES & GREASE HOLES			
H. COCONIA	LMEAS SERIES			
	PRECISION DESIGN, CLOSED TYPE, METRIC BOUNDARIES			
[COXODDI	LMEUUDP AS SERIES			
	PRECISION DESIGN, CLOSED TYPE, METRIC BOUNDARIES			
- (COOOD)	LMEUUAJ AS SERIES			
A	PRECISION DESIGN, ROUND FLANGE TYPE, METRIC BOUNDARIES			
•	LME-F SERIES	20 ~ 21		
A	PRECISION DESIGN, SQUARE FLANGE TYPE, METRIC BOUNDARIES			
•	LME-K SERIES			
	SUPER BALL BUSHINGS, EUROPEAN STANDARD	= 2		
- COOODI	LMES SERIES			
	SUPER BALL BUSHINGS, EUROPEAN STANDARD			
1560,000	LMESOP SERIES			
(100000)	DRAWN SHELL DESIGN, METRIC BOUNDARIES			
[100000]	KH SERIES, OPEN TYPES & PP	26		


ALUMINIUM HOUSINGS & COMPLETE UNITS				
		28 ~ 33		
<u>"</u>	FGWA ALUMINIUM HOUSINGS			
م	FGWA SERIES	28		
	SB ALUMINIUM HOUSINGS			
	SBAS, SB LMEUUAS SERIES	29		
	SO ALUMINIUM HOUSINGS			
	SOAS, SO LMEUUOP AS SERIES	88		
HQH.	SZBN ALUMINIUM HOUSINGS			
	S2BN, S2BN+LME SERIES			
5 01	SBT ALUMINIUM HOUSINGS	32 ~ 33		
240	SBTAS, SBTAS+LME SERIES			



TF	RACK ROLLER BEARINGS	48 ~ 57	
	SINGLE ROW OF BALLS TRACK ROLLERS WITH CYLINDRICAL AND CROWNED OD		
	LRNPP, LRRRU SERIES	48	
	DOUBLE ROWS OF BALLS TRACK ROLLERS WITH CROWNED OD		
	LR 52NPPU, LR 52KDD SERIES	49	
	DOUBLE ROWS OF BALLS TRACK ROLLERS WITH CROWNED OD		
	LR 53NPPU SERIES	50	
MM	GOTHIC ARCH GROOVE PROFILE TRACK ROLLERS		
	LFRZZ, LFR2RS SERIES		
	MOUNTING BOLTS AND STUDS		
	RC, RE, RCA1, REA1 SERIES		
	"V" GROOVE PROFILE TRACK ROLLERS		
	RV., Series		
4444	"W" GROOVE PROFILE TRACK ROLLERS		
0.0	RMZZ, RMZRS SERIES		
	"V" GROOVE PROFILE TRACK ROLLERS WITH INTEGRAL STUD		
	RVC, RVE SERIES		
	GOTHIC ARCH PROFILE TRACK ROLLERS WITH INTEGRAL STUD		
	RPC, RPE SERIES		
	SUPPORT ROLLERS WITH INTEGRAL STUD AND CYLINDRICAL OD		
	RAA SERIES		




NOTE











_		PAGES FOR REFER
Ti	ECHNICAL INFORMATION	7 ~ 12
1,	RECIRCULATING BALL BEARING, DRAWN SHELL DESIGN, COMPACT TYPE, SERIES KH	7
2.	LINEAR RECIRCULATING BALL BEARING PRECISION SERIES TYPE LME	7~8
3.	LINEAR RECIRCULATING BALL BEARING PRECISION SERIES TYPE LME	8~9
4.	LOAD RATINGS	9 ~ 11
5.	STATIC SAFETY FACTOR	11
6.	FRICTION	12
7.	OPERATING TEMPERATURE	



1. Recirculating Ball Bearing, drawn shell design, compact type, series KH

The Linear Recirculating Ball Bearings KH are composed of a steel drawn shell, made of case hardened steel, a retainer made from engineered resin and precision balls. The drawn shell has pockets designed to allow the recirculation of the balls. This bearing type can only be used for linear movement and does not allow rotational movements.

1.1 Seals

The linear bearings of KH type are available in two different variants.

Without seals: KH

With contact seals: KH..PP

The seals have the dual function to prevent ingress of contaminants and the retention of lubricants in the bearings.

1.2 Lubrication

Linear bearings type KH are supplied coated with rust inhibiting oil. Linear bearings type KH..PP are supplied packaged with lithium soap grease.

1.3 Mounting tolerances


The table below shows the tolerances to be used for a proper bearing installation. They insure a precise and smooth motion.

1.4 Assembly

Linear bearings type KH are assembled with a light press fit. This insures not only the retention of the bearing but also the proper rounding of the unit. A proper fitting should be performed with the help of a mounting arbor as shown in Fig. 1.

Table 1.1 Recommended mounting tolerances

Housing material	General c	pplication	Vertical of Precision of	peration pplication
	Housing tolerance	Shaft tolerance	Housing tolerance	Shaft tolerance
Steel/cast iron	H7	h6	H6	i5
Aluminium/alloy	K7	h6	K6	i5



2. Linear Recirculating Ball Bearing precision series type LME

NIKD Linear Recirculating Bearing type LME are composed by a cylindrical outer ring, by a cage that retains the balls, by two end rings to retain the cage and/or, when required, contact seals. All of the components are designed and assembled to optimize the unit performance. The outer ring is suitably hardened to provide the longest possible life expectancy. The cage made of steel or engineered resin, depending upon the type of bearing selected, provide the retention and allow the proper recirculation of the balls.





2.1 Characteristics of linear bearings type LME

2.1.1 High rigidity

Linear bearings with steel outer ring offer high rigidity due to the large number of balls in contact. The units can be supplied with a steel cage and, when low weight is required, with resin cage.

2.1.2 Ease of assembly

The standard units can carry load in every direction. The large variety of housing units and shaft supports allow simple and easy mounting.

2.1.3 Ease of replacement

These units follow internationally recognized boundary and are therefore dimensionally inter changeable with competitive units. Replacement due to wear or damage is quick and simple.

2.1.4 Complete range

The NIKO range of products is quite broad. The characteristics can be summarized as follows:

- A) Closed type standard version
- B) Adjustable type These units have a longitudinal slot tha allows the reduction of the operating clearance and the optimization of the unit rigidity.
- C) Open type These units have an opening that corresponds to a single recirculating channel (50 to 100 deg). These units are used in conjunction with long shafts that are typically supported along the entire length to reduce the elastic deflection. When mounted in a suitable housing, the units allow the adjustment of the operating clearance.
- D) Flanged type These units have a flange on the outer ring to allow the mounting without conventional housings.

2.2 Seals

Linear bearings LME can be supplied in the following versions:

- -Without seals LME
- -With contact seals LME..UU

The seals have the following functions:

- -Prevent the ingress of contaminants
- -Retain the lubricant in the bearing

In some applications, it may be necessary to use additional seals to prevent grease migration and thus prolong the maintenance interval.

3. Linear Recirculating Ball Bearing precision series type LME

3.1 Lubrication

Linear bearings type LME are supplied coated with rust inhibiting oil. Linear bearings type LME..UU are supplied packaged with lithium soap grease.

3.2 Mounting tolerances


The bearing assembly should be performed as to insure operation with adequate clearance. Unsuitable operating clearance could lead to poor running performance or lower than expected durability. The operating clearance of the adjustable or open version of the linear bearings can be adjusted by elastically deforming the outer ring. The suitable mounting tolerances for the mating components are shown in table 3.1.


Note: The operating clearance is application dependent and could be zero or negative (preload). In the latter case the friction as well as the smooth running should be checked for suitability.



Table 3.1

	Sho	aft	Hou	sing		
Dimensional series	Dimensional series Normal operating clearance		Normal operating clearance	Operation without clearance		
LME	h6	j6	H7	J7		





3.3 Installation

Some cleanliness precautions should be taken before assembling NIKO Linear Bearings in their housings. Lack of cleanliness could lead to reduction of the bearing life. The installation of the units is not particularly difficult, though precaution should be observed to avoid potential damages to the unit. Direct pressing onto the cage retaining rings should be avoided. A suitable tool should be used (Fig. 2) to provide pressure on the rim of the outer ring. Once the bearing is mounted in the housing, the assembled unit should be installed onto the shaft paying attention not to score the shaft or to pop the balls from the bearing. When two shafts assemblies are assembled in a parallel assembly, the parallelism between the shafts should be checked to insure smooth running. The mounting examples shown in Fig. 3 through 7 should be used as guidelines to design and select the suitable bearings and support units.

4.

Load ratings

Dynamic load rating C

The dynamic load rating C is a load of constant magnitude under which 90% of a statistically significant number of apparently identical bearings would reach a theoretical life of 50 km without the apparent appearance of metal fatigue.

Static load rating Co

The static load rating Co is defined as the load that would cause a permanent deformation equal to 1/10,000 of the ball diameter at the most stressed contact point.

4.1 Life of a Linear Recirculating Ball Bearing

Repeated stresses onto the contact surfaces could lead to material fatigue. This will lead to the appearance of surface pitting. The life of the unit is defined as the duration before the appearance of pitting.



4.1.1 Rated life(L)

The rated life L is the total travelled distance which 90% of a statistically significant number of apparently identical bearings would reach under the same operating conditions without the apparent appearance of metal fatigue.

$$L = (\frac{C}{P})^3 \cdot 50...(1)$$

L = rated life [km]

C = dynamic load ratings [N]

P = equivalent dynamic load [N]

When a system is subjected to a load equal to the dynamic load rating C the resulting life equal the rated life (50 km). The theoretical life of a linear bearing is affected by the load and by the operating conditions (temperature, vibration, shocks, load distribution, etc.). In such cases the theoretical life is calculated with the help of equation 2.

$$L = (\frac{fH \cdot fT \cdot fC \cdot C}{Fw \cdot P})^{3} 50...(2)$$

L = Rated life[km]

C = Dynamic load rating [N]

P = Equivalent dynamic load [N]

fh = Hardness factor (see fig. 8)

ft = Temperature factor (see fig. 9)

fc = Contact coefficient (see table 4)

fw = Load factor (see table 5)

The following equation (3) allows the conversion of the rated life in hours.

$$L_{h} = \left(\frac{L.10}{2.ls \cdot n_1 \cdot 60}\right)^3$$
(3)

Lh = rated life [hours]

 L_S = stroke length [m]

L = rated life [km]


n₁ = operating frequency [strokes/min]


• Hardness factor (fH)

The load ratings for the linear bearing are calculated with the raceway hardness equal or higher than 58 HRC. When the raceway hardness is reduced, the load rating of the bearing is also reduced and must be corrected using the the accompanying chart (Fig.8).

• Temperature factor (fT)

When a linear bearing operates at temperatures in excess of 100 deg. C, its hardness is affected and son is its ability to carry load. The load rating can be corrected by using the accompanying chart (Fig.9).







• Contact factor (fc)

Load biasing, attributed to mounting errors and multiple bearing assemblies can be accounted for by using the coefficient in table 4.1.

Table 4.1 Contact factor

Number of bearings for shaft	Contact factor
ī	1,00
2	0,81
3	0,72
4	0,66
5	0,61

• Load factor (fw)

The loads acting on the linear units include payload, inertial effects during acceleration and deceleration as well as moment loads. All of these factors are difficult to assess and are further complicated by the potential presence of shocks and vibrations. A more practical solution involves the use of the coefficients in table 4.2.

Table 4.2 Contact factor

Operating conditions	fw
Low speed operations (<15 m/min) without shocks	1 - 1,5
Medium speed operation (60m/min) without shocks	1,5 - 2
High speed operations (>60m/min) with shocks	2 - 3,5

5. Static safety factor

For applications with a high requirement for accuracy and smooth running, the static safety factor fs should be higher than the values shown in table 5.1 to prevent permanent deformation at the contact points.

$$fs = \frac{CO}{PO}$$

fs = static safety factor

Po = static equivalent load (N)

Co = static load rating (N)

Table 5.1 Static safety factor

Operating conditions	fs
Shafts subjected to small deflections and low shocks	1÷2
Elastic deflection can cross load the units	2÷4
System subjected to shock & vibration	3÷5



6. Friction

Linear Recirculating Ball Bearings have a very low static coefficient of friction, virtually identical to the dynamic coefficient of friction. This results in low and uniform motion in any condition of load and speed without sick-slip.

 $F = \boldsymbol{\mu} \cdot W + f....(4)$

F = Friction force [N]

U = Friction coefficient [-]

f = Seal drag [N]

w = Load[N]

The magnitude of the friction force is affected by several factors. The type of bearing, the operating conditions, the type and quantity of the lubricant, the presence or lack of seals all impact the overall frictional behavior. Standard seals can add between 2 and 5 N to the overall friction force. The magnitude of the coefficient of friction depends upon the operating conditions such as load, moments and/or preload. Table 6.1 shows the dynamic coefficient of friction for each type of bearing under normal operating condition (P/C \leq =0.2) and proper assembly.

Table 6.1 Friction coefficient

Type of bearing	Friction coefficient
KH	0.004 to 0.006
LME / LMB	0.002 to 0.003

7. Operating temperature

The operating temperature ranges of the various bearings are shown in table 7.1 Should the operating temperature exceed the limits shown in the table, please contact fait International Engineering. Stainless steel units, without seals, can operate between - 20/+ 120 degree. C

Table 7.1 Operating temperature


Bearing type	Operating temperature
KH	-20 to +120°C
LME / LMB	-20 to +110°C









LINEAR BALL BEARINGS SERIES LME..







Boundary		Beari	ng number		Number		Pri	ncipal	dimensions	.	
dimensions	standard	standard	l with seals	with seals	of ball		dr		D		L
d	steel retainer	resin retain	er steel retainer	resin retainer	tracks	tole	erance	tole	erance	tole	rance
mm						mm	0.001mm	mm	0.001mm	mm	mm
5	ë	LME 5	.	LME 5 UU AS	3	5	(+8/0)	12	(0/-8)	22	(0/-0.2)
8	LME 8 A AS	LME 8	LME 8 A UU AS	LME 8 UU AS	4	8	(+8/0)	16	(0/-8)	25	(0/-0.2)
10	LME 10 A AS	·	LME 10 A UU AS	-	4	10	(+8/0)	19	(0/-9)	29	(0/-0.2)
12	LME 12 A AS	LME 12	LME 12 A UU AS	LME 12 UU AS	4	12	(+8/0)	22	(0/-9)	32	(0/-0.2)
16	LME 16 A AS	LME 16	LME 16 A UU AS	LME 16 UU AS	5	16	(+9/-1)	26	(0/-9)	36	(0/-0.2)
20	LME 20 A AS	LME 20	LME 20 A UU AS	LME 20 UU AS	5	20	(+9/-1)	32	(0/-11)	45	(0/-0.2)
25	LME 25 A AS	LME 25	LME 25 A UU AS	LME 25 UU AS	6	25	(+11/-1)	40	(0/-11)	58	(0/-0.3)
30	LME 30 A AS	LME 30	LME 30 A UU AS	LME 30 UU AS	6	30	(+11/-1)	47	(0/-11)	68	(0/-0.3)
40	LME 40 A AS	LME 40	LME 40 A UU AS	LME 40 UU AS	6	40	(+13/-2)	62	(0/-13)	80	(0/-0.3)
50	LME 50 A AS	LME 50	LME 50 A UU AS	LME 50 UU AS	6	50	(+13/-2)	75	(0/-13)	100	(0/-0.3)
60	LME 60 A AS	LME 60	LME 60 A UU AS	LME 60 UU AS	6	60	(+13/-2)	90	(0/-15)	125	(0/-0.4)





LINEAR BALL BEARINGS SERIES LME..







	Principo	al dimensions		Roundness	Steel retainer	Resin retainer	Load re	atings	Me	ass
	В	W	D_1		maximum radial	maximum radial	dynamic	static	steel	resin
tole	rance				clearance	clearance	С	Co	retainer	retainer
		mm		0.001mm	0.001mm	0.001 mm	N		kg	(s).
14.5	(0/-0.2)	1.10	11.5	12	140	-5	206	265	Æ	0.011
16.5	(0/-0.2)	1.10	15.2	12	-3	-5	265	402	0.022	0.020
22.0	(0/-0.2)	1.30	18.0	12	-4	2	372	549	0.036	**
22.9	(0/-0.2)	1.30	21.0	12	-4	-7	510	784	0.045	0.041
24.9	(0/-0.2)	1.30	24.9	12	-4	-7	578	892	0.060	0.065
31.5	(0/-0.2)	1.60	30.3	15	-6	-9	862	1370	0.102	0.091
44.1	(0/-0.3)	1.85	37.5	15	-6	-9	980	1570	0.235	0.215
52.1	(0/-0.3)	1.85	44.5	15	-8	-9	1570	2740	0.360	0.325
60.6	(0/-0.3)	2.15	59.0	17	-8	-13	2160	4020	0.770	0.705
77.6	(0/-0.3)	2.65	72.0	17	-13	-13	3820	7940	1.250	1.130
101.7	(0/-0.4)	3.15	86.5	20	-13	-16	4700	9800	2.220	2.220




LINEAR BALL BEARINGS SERIES LME..AJ AS







Boundary		Bearing	g number		Number		Principal d	imens	ions
dimensions	standard	standard	with seals	with seals	of ball		dr		D
d	steel retainer	resin retainer	steel retainer	resin retainer	tracks	tole	erance	tole	erance
mm						mm	0.001mm	mm	0.001mm
5	8	LME 5 AJ AS	2	LME 5 UUAJ AS	3	5	(+8/0)	12	(0/-8)
8	e e	LME 8 AJ AS	e e	LME 8 UUAJ AS	4	8	(+8/0)	16	(0/-8)
12	LME 12 A-AJ AS	LME 12 AJ AS	LME 12 A-UUAJ AS	LME 12 UUAJ AS	4	12	(+8/0)	22	(0/-9)
16	LME 16 A-AJ AS	LME 16 AJ AS	LME 16 A-UUAJ AS	LME 16 UUAJ AS	5	16	(+9/-1)	26	(0/-9)
20	LME 20 A-AJ AS	LME 20 AJ AS	LME 20 A-UUAJ AS	LME 20 UUAJ AS	5	20	(+9/-1)	32	(0/-11)
25	LME 25 A-AJ AS	LME 25 AJ AS	LME 25 A-UUAJ AS	LME 25 UUAJ AS	6	25	(+11/-1)	40	(0/-11)
30	LME 30 A-AJ AS	LME 30 AJ AS	LME 30 A-UUAJ AS	LME 30 UUAJ AS	6	30	(+11/-1)	47	(0/-11)
40	LME 40 A-AJ AS	LME 40 AJ AS	LME 40 A-UUAJ AS	LME 40 UUAJ AS	6	40	(+13/-2)	62	(0/-13)
50	LME 50 A-AJ AS	LME 50 AJ AS	LME 50 A-UUAJ AS	LME 50 UUAJ AS	6	50	(+13/-2)	75	(0/-13)
60	LME 60 A-AJ AS	LME 60 AJ AS	LME 60 A-UUAJ AS	LME 60 UUAJ AS	6	60	(+13/-2)	90	(0/-15)





LINEAR BALL BEARINGS SERIES LME..AJ AS







		Prin	cipal dime	ensions			Roundness	Steel retainer	Resin retainer	Load ro	atings	Me	ass
tole	L erance	tole	B rance	W	D_1	h		maximum radial clearance	maximum radial clearance	dynamic C	static Co	steel retainer	resin retainer
mm	mm	mm	mm		mm		0.001mm	0.001 mm	0.001mm	N		kg	(s).
22	(0/-0.2)	14.5	(0/-0.2)	1.10	11.5	1.0	12	21	-5	206	265	0.011	-
25	(0/-0.2)	16.5	(0/-0.2)	1.10	15.2	1.0	12	-3	-5	265	402	0.020	0.022
32	(0/-0.2)	22.9	(0/-0.2)	1.30	21.0	1.5	12	-4	-7	510	784	0.041	0.045
36	(0/-0.2)	24.9	(0/-0.2)	1.30	24.9	1.5	12	-4	-7	578	892	0.065	0.060
45	(0/-0.2)	31.5	(0/-0.2)	1.60	30.3	2.0	15	-6	-9	862	1370	0.091	0.102
58	(0/-0.3)	44.1	(0/-0.3)	1.85	37.5	2.0	15	-6	-9	980	1570	0.215	0.235
68	(0/-0.3)	52.1	(0/-0.3)	1.85	44.5	2.0	15	-8	-9	1570	2740	0.325	0.360
80	(0/-0.3)	60.6	(0/-0.3)	2.15	59.0	3.0	17	-8	-13	2160	4020	0.705	0.770
100	(0/-0.3)	77.6	(0/-0.3)	2.65	72.0	3.0	17	-13	-13	3820	7940	1.130	1.250
125	(0/-0.4)	101.7	(0/-0.4)	3.15	86.5	3.0	20	-13	-16	4700	9800	2.220	2.220




LINEAR BALL BEARINGS SERIES LME..OP







Boundary		Bearing	g number		Number		Principal di	imens	ions
dimensions d	standard steel retainer	standard resin retainer	with seals steel retainer	with seals resin retainer	of ball tracks	tole	dr erance	tole	D erance
mm						mm	0.001mm	mm	0.001mm
12	LME 12 A OP	LME 12 OP AS	LME 12 A UUOP AS	LME 12 UUOP AS	3	12	(+8/0)	22	(0/-9)
16	LME 16 A OP	LME 16 OP AS	LME 16 A UUOP AS	LME 16 UUOP AS	4	16	(+9/-1)	26	(0/-9)
20	LME 20 A OP	LME 20 OP AS	LME 20 A UUOP AS	LME 20 UUOP AS	4	20	(+9/-1)	32	(0/-11)
25	LME 25 A OP	LME 25 OP AS	LME 25 A UUOP AS	LME 25 UUOP AS	5	25	(+11/-1)	40	(0/-11)
30	LME 30 A OP	LME 30 OP AS	LME 30 A UUOP AS	LME 30 UUOP AS	5	30	(+11/-1)	47	(0/-11)
40	LME 40 A OP	LME 40 OP AS	LME 40 A UUOP AS	LME 40 UUOP AS	5	40	(+13/-2)	62	(0/-13)
50	LME 50 A OP	LME 50 OP AS	LME 50 A UUOP AS	LME 50 UUOP AS	5	50	(+13/-2)	75	(0/-13)
60	LME 60 A OP	LME 60 OP AS	LME 60 A UUOP AS	LME 60 UUOP AS	5	60	(+13/-2)	90	(0/-15)





LINEAR BALL BEARINGS SERIES LME..OP







		Princ	ipal dim	ensior	าร			Roundness	Steel retainer	Resin retainer	Load ro	atings	M	ass
	L		В	W	D_1	h_1	θ		maximum radial	maximum radial	dynamic	static	steel	resin
tole	rance	tole	rance						clearance	clearance	С	Co	retainer	retainer
mm	mm	mm	mm		mı	m		0.001mm	0.001 mm	0.001mm	N		kg	(s).
32	(0/-0.2)	22.9	(0/-0.2)	1.30	21.0	7.5	78°	12	-4	-7	510	784	0.045	0.041
36	(0/-0.2)	24.9	(0/-0.2)	1.30	24.9	10.0	78°	12	-4	-7	578	892	0.060	0.065
45	(0/-0.2)	31.5	(0/-0.2)	1.60	30.3	10.0	60°	15	-6	-9	862	1370	0.102	0.091
58	(0/-0.3)	44.1	(0/-0.3)	1.85	37.5	12.5	60°	15	-6	-9	980	1570	0.235	0.215
68	(0/-0.3)	52.1	(0/-0.3)	1.85	44.5	12.5	50°	15	-8	-9	1570	2740	0.360	0.325
80	(0/-0.3)	60.6	(0/-0.3)	2.15	59.0	16.8	50°	17	-8	-13	2160	4020	0.770	0.705
100	(0/-0.4)	77.6	(0/-0.4)	2.65	72.0	21.0	50°	17	-13	-13	3820	7940	1.250	1.130
125	(0/-0.4)	101.7	(0/-0.4)	3.15	86.5	27.2	54°	20	-13	-16	4700	9800	2.220	2.220




LINEAR BALL BEARINGS SERIES LME..F







Boundary	Bearing	number	Number		Pr	incipo	dimension	s	
dimensions	standard	with seals	of ball		dr		D		L
d	resin retainer	resin retainer	tracks	tole	erance	tole	erance	tole	rance
mm				mm	0.001 mm	mm	0.001mm	mm	mm
8	LMEF 8	LMEF 8 UU	4	8	(+8/0)	16	(0/-13)	25	(± 0.3)
12	LMEF 12	LMEF 12 UU	4	12	(+8/0)	22	(0/-16)	32	(± 0.3)
16	LMEF 16	LMEF 16 UU	5	16	(+9/-1)	26	(0/-16)	36	(±0.3)
20	LMEF 20	LMEF 20 UU	5	20	(+9/-1)	32	(0/-19)	45	(± 0.3)
25	LMEF 25	LMEF 25 UU	6	25	(+11/-1)	40	(0/-19)	58	(±0.3)
30	LMEF 30	LMEF 30 UU	6	30	(+11/-1)	47	(0/-19)	68	(± 0.3)
40	LMEF 40	LMEF 40 UU	6	40	(+13/-2)	62	(0/-22)	80	(± 0.3)
50	LMEF 50	LMEF 50 UU	6	50	(+13/-2)	75	(0/-22)	100	(±0.3)
60	LMEF 60	LMEF 60 UU	6	60	(+13/-2)	90	(0/-25)	125	(±0.3)





LINEAR BALL BEARINGS SERIES LME..F







	Principo	dimension	s flange	Roundness	Squareness	Load ro	atings	Mass
D_f	t	D_{p}	XxYxZ		SPATE	dynamic C	static Co	kg(s).
		mm		0.001 mm	0.001 mm	N		(approx.)
32	5	24	$3.5 \times 6.0 \times 3.1$	12	12	265	402	0.041
42	6	32	4.5 x 7.5 x 4.1	12	12	510	784	0.080
46	6	36	4.5 x 7.5 x 4.1	12	12	578	892	0.103
54	8	43	5.5 x 9.0 x 5.1	15	15	862	1370	0.182
62	8	51	5.5 x 9.0 x 5.1	15	15	980	1570	0.335
76	10	62	6.6 x 11 x 6.1	15	15	1 570	2740	0.560
98	13	80	9.0 x 14 x 8.1	17	17	2160	4020	1.175
112	13	94	9.0 x 14 x 8.1	17	17	3820	7940	1.745
134	18	112	11 x 17 x 11.1	20	20	4700	9800	3.220




LINEAR BALL BEARINGS SERIES LME..K







Boundary	Bearing	number	Number		Pi	rincipo	l dimension	S	
dimensions	standard	with seals	of ball		dr		D		L
	resin retainer	resin retainer	tracks	tole	erance	tole	erance	tole	ance
mm				mm	0.001 mm	mm	0.001mm	mm	mm
8	LMEK 8	LMEK 8 UU	4	8	(+8/0)	16	(0/-13)	25	(± 0.3)
12	LMEK 12	LMEK 12 UU	4	12	(+8/0)	22	(0/-16)	32	(± 0.3)
16	LMEK 16	LMEK 16 UU	5	16	(+9/-1)	26	(0/-16)	36	(±0.3)
20	LMEK 20	LMEK 20 UU	5	20	(+9/-1)	32	(0/-19)	45	(± 0.3)
25	LMEK 25	LMEK 25 UU	6	25	(+11/-1)	40	(0/-19)	58	(±0.3)
30	LMEK 30	LMEK 30 UU	6	30	(+11/-1)	47	(0/-19)	68	(±0.3)
40	LMEK 40	LMEK 40 UU	6	40	(+13/-2)	62	(0/-22)	80	(±0.3)
50	LMEK 50	LMEK 50 UU	6	50	(+13/-2)	75	(0/-22)	100	(±0.3)
60	LMEK 60	LMEK 60 UU	6	60	(+13/-2)	90	(0/-25)	125	(±0.3)





LINEAR BALL BEARINGS SERIES LME..K







	Principa	dimension	ns flange	Roundness	Squareness	Load re	atings	Mass
D_f	t	D_{p}	XxYxZ		SP-17	dynamic C	static Co	kg(s).
		mm		0.001mm	0.001mm	N		(approx.)
32	5	24	$3.5 \times 6.0 \times 3.1$	12	12	265	402	0.041
42	6	32	4.5 x 7.5 x 4.1	12	12	510	784	0.080
46	6	36	4.5 x 7.5 x 4.1	12	12	578	892	0.103
54	8	43	5.5 x 9.0 x 5.1	15	15	862	1370	0.182
62	8	51	5.5 x 9.0 x 5.1	15	15	980	1570	0.335
76	10	62	6.6 x 11 x 6.1	15	15	1 570	2740	0.560
98	13	80	9.0 x 14 x 8.1	17	17	2160	4020	1.175
112	13	94	9.0 x 14 x 8.1	17	17	3820	7940	1.745
134	18	112	11.0 x 17 x 11.1	20	20	4700	9800	3.220




SUPER BALL BUSHINGS SERIES LMES



LMES..close, UU





Boundary	Bearin	g number	Number			Princip	al dimensi	ons		Load ro	atings	Mass
dimensions			of ball		dr	D ±0.1	L	L ₁ ±0.2	L ₂	dynamic	static	kg.
d			tracks	tole	erance	±0.1	±0.2	±0.∠	min.	C	Co	
mm				mm	0.001mm		m	m		N		(approx.)
10	LMES 10	LMES 10 UU	5	10	+8 ~ 0	19	29	21.7	1.35	750	550	0.017
12	LMES 12	LMES 12 UU	5	12	+8 ~ 0	22	32	22.7	1.35	1230	1100	0.023
16	LMES 16	LMES 16 UU	5	16	+9 ~ 1	26	36	24.7	1.35	1550	1250	0.028
20	LMES 20	LMES 20 UU	6	20	+9 ~ 1	32	45	31.3	1.65	2580	1670	0.061
25	LMES 25	LMES 25 UU	6	25	+11 ~ 1	40	58	43.8	1.90	3800	2750	0.122
30	LMES 30	LMES 30 UU	6	30	+11 ~ 1	47	68	51.8	1.90	4710	2800	0.185
40	LMES 40	LMES 40 UU	6	40	+13 ~ 2	62	80	60.4	2.20	6500	5720	0.360
50	LMES 50	LMES 50 UU	6	50	+13 ~ 2	75	100	77.4	2.70	11460	7940	0.580






SUPER BALL BUSHINGS SERIES LMES..OP













LMES 12 OP





LMES 16 OP, LMES 20 OP






LMES 25 OP


LMES 30 OP, LMES 40 OP, LMES 50 OP


Boundary	Bearing number	Number			Prin	cipal d	imensi	ons			Load ro	atings	Mass
$\frac{\text{dimensions}}{d}$		of ball tracks	D ±0.1	L ±0.2	L2	h	θ°	F	G	J	dynamic C	static Co	kg.
mm						m	m				N		(approx.)
12	LMES 12OP LMES 12UUOP	4	22	32	1.35	6.5	66	3.0		0.7	1290	1260	0.018
16	LMES 16OP LMES 16UUOP	4	26	36	1.35	9.0	68	3.0		0.7	1640	1320	0.022
20	LMES 200P LMES 20UUOP	5	32	45	1.65	9.0	55	3.0	724	0.9	2630	1720	0.051
25	LMES 25OP LMES 25UUOP	5	40	58	1.90	11.5	57	3.0	1.5	1.4	3910	2850	0.102
30	LMES 30OP LMES 30UUOP	5	47	68	1.90	14.0	57	3.0	2.0	2.2	4850	2900	0.155
40	LMES 40OP LMES 40UUOP	5	62	80	2.20	19.5	56	3.0	1.5	2.7	6700	5900	0.300
50	LMES 50OP LMES 50UUOP	5	75	100	2.70	22.5	54	3.0	2.5	2.3	11700	8100	0.480






LINEAR BALL BEARINGS SERIES KH






Boundary dimensions	Bearing number	Number of ball tracks	Principal o	dimensions	Basic Ioa dynamic C	nd ratings static Co	Max rund grease	out speed oil	Mass kg.
mm			m	ım	N	1	r/n	nin	(approx.)
6	KH 0622	4	12	22	400	239	41	24	0.0070
6	KH 0622 PP	4	12	22	400	239	41	24	0.0070
8	KH 0824	4	15	24	435	280	44	29	0.0120
8	KH 0824 PP	4	15	24	435	280	44	29	0.0120
10	KH 1026	4	17	26	500	370	51	38	0.0145
10	KH 1026 PP	4	17	26	500	370	51	38	0.0145
12	KH 1228	5	19	28	620	510	63	52	0.0185
12	KH 1228 PP	5	19	28	620	510	63	52	0.0185
14	KH 1428	5	21	28	620	520	63	53	0.0205
14	KH 1428 PP	5	21	28	620	520	63	53	0.0205
16	KH 1630	5	24	30	800	620	82	63	0.0275
16	KH 1630 PP	5	24	30	800	620	82	63	0.0275
20	KH 2030	6	28	30	950	790	97	81	0.0325
20	KH 2030 PP	6	28	30	950	790	97	81	0.0325
25	KH 2540	6	35	40	1990	1670	203	170	0.0660
25	KH 2540 PP	6	35	40	1990	1670	203	170	0.0660
30	KH 3050	7	40	50	2800	2700	285	275	0.0950
30	KH 3050 PP	7	40	50	2800	2700	285	275	0.0950
40	KH 4060	8	52	60	4400	4450	449	454	0.1820
40	KH 4060 PP	8	52	60	4400	4450	449	454	0.1820
50	KH 5070	9	62	70	5500	6300	561	642	0.2520
50	KH 5070 PP	9	62	70	5500	6300	561	642	0.2520












ALUMINIUM HOUSINGS SERIES **FGWA**







Boundary	Bearing number							Princip	oal c	imensio	ns							Mass
dimensions			d	W		C		Н		L		h	T	E	Α	J	S	kg.
d		tole	erance		tole	erance	tol	erance	tol	erance	tol	erance						Ng.
mm		mm	0.001mm		mm	0.001mm	mm	0.001mm	mm	0.001mm	mm	0.001mm			mm			(approx.)
12	FGWA 12	12	+0.018	42	32	± 0.15	35	± 0.30	12	± 0.20	20	± 0.020	5.5	20	12.0	МЗ	5.5	0.024
16	FGWA 16	16	+0.018 0	50	40	± 0.15	42	± 0.30	16	± 0.20	25	± 0.020	6.5	28	16.0	МЗ	5.5	0.050
20	FGWA 20	20	U	60	45	± 0.15	50	± 0.30	20	± 0.20	30	± 0.020	8.0	32	18.0	M4	5.5	0.080
25	FGWA 25	25	+0.021 0	74	60	± 0.15	58	± 0.30	25	± 0.20	35	± 0.020	9.0	38	21.0	M5	6.6	0.132
30	FGWA 30	30	+0.021 0	84	68	±0.15	68	± 0.30	28	± 0.20	40	± 0.020	10.0	45	24.5	M6	9.0	0.200
40	FGWA 40	40	+0.025	108	86	± 0.15	86	± 0.30	32	± 0.20	50	± 0.020	12.0	56	31.0	M8	11.0	0.350





ALUMINIUM HOUSINGS SERIES **SB.AS**









Bearing number					Princ	ipal d	ime	nsio	ns							Mass
		h	В	W	Н	G	Α		J	S1	S2		K		L	kg(s).
	tole	rance	tolerance	tolerance	tolerance			tole	erance			tol	erance	tol	erance	K9(3).
	mm 0	0.001mm	mm 0.001mm	mm 0.001mm	mm 0.001mm			mm	0.001 mm			mm	0.001mm	mm	0.001mm	(approx.)
SB 16 AS	22	± 0.02	26.5 ± 0.02	53 0 ~ -0.3	42 0 ~ -0.3	37.0	13	40	± 0.15	M6	5.3	26	± 0.15	36	0 ~ -0.2	0.202
SB 20 AS	25	± 0.02	30.0 ± 0.02	60 0 ~ -0.3	50 0 ~ -0.3	44.0	18	45	± 0.15	M8	6.6	32	± 0.15	45	0 ~ -0.2	0.301
SB 25 AS	35	± 0.02	39.0 ±0.02	78 0 ~ -0.3	60 0 ~ -0.3	52.5	26	60	± 0.15	M10	8.4	40	± 0.15	58	0 ~ -0.2	0.659
SB 30 AS	35	± 0.02	43.5 ±0.02	87 0 ~ -0.3	70 0 ~ -0.3	62.5	26	68	± 0.15	M10	8.4	45	± 0.15	68	0 ~ -0.2	1.000
SB 40 AS	45	±0.02	54.0 ±0.01	108 0 ~ -0.3	90 0 ~ -0.3	0.08	26	86	±0.15	M12	10.5	58	± 0.15	80	0 ~ -0.2	2.233


SERIES SB LME..








Bearing number					Princ	ipal c	lime	nsio	ns							Mass
		h	В	W	Н	G	Α		J	S1	S2		K		L	kg(s).
	tol	erance	tolerance	tolerance	tolerance			tol	erance			tol	erance	tol	erance	Kg(s).
	mm	0.001mm	n mm 0.001mr	n mm 0.001mm	mm 0.001mm			mm	0.001 mm			mm	0.001mm	mm	0.001mm	(approx.)
SB LME 16 UUAS	22	± 0.02	26.5 ± 0.02	53 0 ~ -0.3	42 0 ~ -0.3	37.0	13	40	± 0.15	M6	5.3	26	± 0.15	36	0 ~ -0.2	0.202
SB LME 20 UUAS	25	± 0.02	30.0 ±0.02	60 0 ~ -0.3	50 0 ~ -0.3	44.0	18	45	± 0.15	M8	6.6	32	± 0.15	45	0 ~ -0.2	0.301
SB LME 25 UUAS	35	± 0.02	39.0 ±0.02	78 0 ~ -0.3	60 0 ~ -0.3	52.5	26	60	± 0.15	M10	8.4	40	± 0.15	58	0 ~ -0.2	0.659
SB LME 30 UUAS	35	± 0.02	43.5 ±0.02	87 0 ~ -0.3	70 0 ~ -0.3	62.5	26	68	± 0.15	M10	8.4	45	± 0.15	68	0 ~ -0.2	1.000
SB LME 40 UUAS	45	± 0.02	54.0 ±0.0	108 0 ~ -0.3	90 0 ~ -0.3	0.08	26	86	± 0.15	M12	10.5	58	± 0.15	80	0 ~ -0.2	2.233






ALUMINIUM HOUSINGS











Bearing number				P	rinc	ipal dimen	sions						Mass
	h	В	W	Н	Α	J	S1	S2	K	L	h_1	θ	kg(s).
	tolerance	tolerance	tolerance	tolerance		tolerance			tolerand	e tolerance	tolerance		Kg(3).
	mm 0.001mm	mm 0.001mm	mm 0.001mm	mm 0.001mm		mm 0.001mm			mm 0.001n	m mm 0.001mm	mm 0.001mm	1	(approx.)
SO 16 AS	22 ±0.02	26.5 ± 0.02	53 0~-0.3	35 0~-0.3	13	40 ±0.15	M6	5.3	26 ±0.1	5 36 0~-0.2	16.4 ± 0.3	78°	0.159
SO 20 AS	25 ±0.02	30.0 ± 0.02	60 0~-0.3	42 0~-0.3	18	$45\ \pm0.15$	M8	6.5	32 ±0.	5 45 0~-0.2	$16.0\ \pm0.3$	60°	0.259
SO 25 AS	35 ±0.02	39.0 ± 0.02	78 0~-0.3	51 0~-0.3	22	$60\ \pm0.15$	M10	8.5	40 ±0.	5 58 0~-0.2	$20.0\ \pm0.3$	60°	0.574
SO 30 AS	35 ±0.02	43.5 ± 0.02	87 0~-0.3	60 0~-0.3	22	$68\ \pm0.15$	M10	8.5	45 ±0.	5 68 0~-0.2	19.9 \pm 0.3	50°	1.453
SO 40 AS	45 ±0.02	54.0 ±0.01	108 0~-0.3	77 0~-0.3	26	86 ±0.15	M12	10.5	58 ±0.1	5 80 0~-0.2	26.1 ±0.3	50°	1.996


SERIES SO LME ..









Bearing number				P	rinc	ipal dimen	sions							Mass
	h	В	W	Н	Α	J	S1	S2		K	L	h1	θ	kg(s).
	toleranc	e tolerance	tolerance	tolerance		tolerance			tole	erance	tolerance	tolerance	ta .	Kg(s).
	mm 0.001m	m mm 0.001mm	mm 0.001mm	mm 0.001mm		mm 0.001mm			mm	0.001mm	mm 0.001mm	mm 0.001mm	1	(approx.)
SO LME 16 UUOP AS	22 ±0.0	226.5 ± 0.02	53 0~-0.3	35 0~-0.3	13	40 ±0.15	M6	5.3	26	± 0.15	36 0~-0.2	16.4 ± 0.3	78°	0.159
SO LME 20 UUOP AS	25 ±0.0	230.0 ± 0.02	60 0~-0.3	42 0~-0.3	18	$45\ \pm0.15$	M8	6.5	32	± 0.15	45 0~-0.2	$16.0\ \pm0.3$	60°	0.259
SO LME 25 UUOP AS	35 ±0.0	2 39.0 ±0.02	78 0~-0.3	51 0~-0.3	22	60 ±0.15	M10	8.5	40	± 0.15	58 0~-0.2	20.0 ± 0.3	60°	0.574
SO LME 30 UUOP AS	35 ±0.0	2 43.5 ±0.02	87 0~-0.3	60 0~-0.3	22	68 ±0.15	M10	8.5	45	± 0.15	68 0~-0.2	19.9 ± 0.3	50°	1.453
SO LME 40 UUOP AS	45 ±0.0	2 54.0 ±0.01	108 0~-0.3	77 0~-0.3	26	86 ±0.15	M12	10.5	58	±0.15	80 0~-0.2	26.1 ±0.3	50°	1.996






ALUMINIUM HOUSINGS SERIES **S2B..N**






Boundary	Bearing number				Prin	cipal	dimen	sions	i					Mass
dimensions			h		В	W	Н	Α		J	S1	S2	L	kg.
d		tol	erance	tol	erance				tol	erance				Ng.
mm		mm	0.001mm	mm	0.001mm				mm	0.001mm				(approx.)
22	S2B 12 N	20 +	0.010 ~ -0.014	26.0	± 0.015	52	38	13	42	±0.15	M6	5.3	20	0.025
26	S2B 16 N	20 +	0.010 ~ -0.014	28.0	± 0.015	56	40	13	46	±0.15	M6	5.3	22	0.060
32	\$2B 20 N	25 +	0.010 ~ -0.014	35.0	± 0.015	70	50	15	58	± 0.20	M8	6.6	28	0.098
40	S2B 25 N	30 +	0.010 ~ -0.014	40.0	± 0.015	80	60	18	68	±0.15	M8	6.6	40	0.125
47	S2B 30 N	35 +	0.010 ~ -0.014	44.0	± 0.015	88	70	18	76	± 0.15	M8	6.6	48	0.140
62	S2B 40 N	45 H	0.010 ~ -0.014	54.0	± 0.015	108	85	22	94	±0.15	M10	8.5	56	0.080
75	S2B 50 N	50 +	0.010 ~ -0.014	67.5	± 0.015	135	102	27	116	±0.15	M12	10.5	72	0.400


SERIES S2B LME..








Boundary	Bearing number			Prin	cipal	dimen	sions						Mass
dimensions		h		В	W	Н	Α		J	S1	S ₂	L	kg
d		tolerance	tol	erance				tol	erance				ν.9
mm		mm 0.001mm	mm	0.001mm				mm	0.001mm				(approx.)
22	S2B 12 N + LME 12 UU AS	20 +0.010 ~ -0.014	26.0	± 0.015	52	38	13	42	±0.15	M6	5.3	20	0.025
26	S2B 16 N + LME 16 UU AS	20 +0.010 ~ -0.014	28.0	± 0.015	56	40	13	46	± 0.15	M6	5.3	22	0.060
32	S2B 20 N + LME 20 UU AS	25 +0.010 ~ -0.014	35.0	± 0.015	70	50	15	58	± 0.20	M8	6.6	28	0.098
40	\$2 B 25 N + LME 25 UU A\$	30 +0.010 ~ -0.014	40.0	± 0.015	80	60	18	68	± 0.15	M8	6.6	40	0.125
47	S2B 30 N + LME 30 UU AS	35 +0.010 ~ -0.014	44.0	± 0.015	88	70	18	76	± 0.15	M8	6.6	48	0.140
62	S2B 40 N + LME 40 UU AS	45 +0.010 ~ -0.014	54.0	± 0.015	108	85	22	94	± 0.15	M10	8.5	56	0.080
75	\$2 B 50 N + LME 50 UU AS	50 +0.010 ~ -0.014	67.5	± 0.015	135	102	27	116	± 0.15	M12	10.5	72	0.400






ALUMINIUM HOUSINGS SERIES SBT..AS



Boundary	Bearing number				P	rincipa	l dimen	sions					
dimensions			h		В	W	Н	Ь	Α		J	S1	S2
d		to	olerance	tol	erance					tol	erance		
mm		mm	0.001mm	mm	0.001mm					mm	0.001mm		
22	SBT 12 AS	18	+0.010 ~ -0.014	21.5	± 0.015	43	35	8	11	32	± 0.15	M5	4.3
26	SBT 16 AS	22	+0.010 ~ -0.014	26.5	±0.015	53	42	12	13	40	±0.15	M6	5.3
32	SBT 20 AS	25	+0.008 ~ -0.016	30.0	±0.010	60	50	13	18	45	±0.15	M8	6.6
40	SBT 25 AS	30	+0.008 ~ -0.016	39.0	±0.010	78	60	15	22	60	±0.15	M10	8.4
47	SBT 30 AS	35	+0.008 ~ -0.016	43.5	±0.010	87	70	16	22	68	±0.15	M10	8.4
62	SBT 40 AS	45	+0.008 ~ -0.016	54.0	± 0.010	108	90	26	26	86	±0.15	M12	10.5
75	SBT 50 AS	50	+0.005 ~ -0.016	66.0	±0.015	132	101	22	34	108	±0.15	M14	13.5


SERIES SBT LME..




Boundary	Bearing number				P	rincipo	l dimen	sions					
dimensions			h		В	W	Н	b	Α		J	S1	S2
d		to	olerance	tol	erance					tol	erance		
mm		mm	0.001mm	mm	0.001mm					mm	0.001mm		
22	SBT 12 AS + LME 12 UU AS	18	+0.010 ~ -0.014	21.5	± 0.015	43	35	8	11	32	± 0.15	M5	4.3
26	SBT 16 AS + LME 16 UU AS	22	+0.010 ~ -0.014	26.5	± 0.015	53	42	12	13	40	± 0.15	M6	5.3
32	SBT 20 AS + LME 20 UU AS	25	+0.008 ~ -0.016	30.0	± 0.010	60	50	13	18	45	± 0.15	M8	6.6
40	SBT 25 AS + LME 25 UU AS	30	+0.008 ~ -0.016	39.0	± 0.010	78	60	15	22	60	± 0.15	M10	8.4
47	SBT 30 AS + LME 30 UU AS	35	+0.008 ~ -0.016	43.5	± 0.010	87	70	16	22	68	± 0.15	M10	8.4
62	SBT 40 AS + LME 40 UU AS	45	+0.008 ~ -0.016	54.0	± 0.010	108	90	26	26	86	± 0.15	M12	10.5
75	SBT 50 AS + LME 50 UU AS	50	+0.005 ~ -0.016	66.0	± 0.015	132	101	22	34	108	± 0.15	M14	13.5


	Technic	al suj	plement	
	Cage	\mathbf{s}	Precision	Grease
	Steel -	Nil		
Sh	Polymid -	Nil	Normal	/ · · · ·
\mathbf{a}	Brass -	Nil	(ISO)	Nil








	Prir	ncipal dim	ensions		Mass
	K	L	M	G	kg(s).
tol	erance				
mm	0.001mm				(approx.)
56	± 0.10	70	M6X1	31.0	0.170
64	± 0.15	78	M6X1	37.0	0.310
76	± 0.15	96	M6X1	44.0	0.486
94	± 0.15	122	M8X1	52.5	0.630
106	± 0.15	142	M8X1	62.5	0.760
124	± 0.15	166	M8X1	0.08	0.980
160	± 0.15	212	M8X1	0.88	2.360






	Prir	cipal din	nensions		Mass
	K	L	M	G	kg(s).
tol	erance				9(-),
mm	0.001mm				(approx.)
56	± 0.10	70	M6X1	31.0	0.170
64	± 0.15	78	M6X1	37.0	0.310
76	± 0.15	96	M6X1	44.0	0.486
94	± 0.15	122	M8X1	52.5	0.630
106	± 0.15	142	M8X1	62.5	0.760
124	± 0.15	166	M8X1	0.08	0.980
160	± 0.15	212	M8X1	0.88	2.360



NOTE





TRACK ROLLER BEARINGS TECHNICAL TABLES





-		
	ECHNICAL INFORMATION	37 ~ 46
1,	BEARING MATERIALS	37
2.	SHIELDS AND SEALS	37 ~ 38
3,	BEARING TOLERANCES	38 ~ 41
4.	BEARING FITS	41 ~ 42
5.	BEARING INTERNAL CLEARANCE	43
6.	LUBRICATION	43
7.	LOAD RATING AND LIFE	44
8.	BEARING HANDLING	45
9.	ALLOWABLE SPEED	45 ~ 46



1. Bearing materials

The internal design of NIKO track rollers is the same as in single row or Double-row Angular Contact Ball Bearings.

The units can carry axial loads in both directions and, due to the thickness of the outer ring, large radial loads.

The standard product are produced from high quality bearing steel, with a hardness of 58 to 62 HRC. Some types are also available in stainless steel (440C) with hardness>58 HRC.

The track rollers contained in this catalogue are produced with standard tolerances (ISO 492) and standard clearance (CN).

The track rollers are produced in two distinct families. Cylindrical or crowned outer ring and profiled outer ring.

These track rollers are available in single and double row design. They are available with straight cylindrical OD or crowned profile OD. The crowned OD is used to reduce the edge stresses caused by possible misalignment errors. The cylindrical OD can provide increased support due to the longer contact profile.

There products are used typically on flat surfaces. Some of the most common applications are:

- -transfer rolls
- -idler rollers
- -Support rollers
- -Straightening rolls

2. Shields and seals

2.1 Types

2.1.1 Track rollers LR 2..NPP, LR 2..RRU

These single row ball track rollers are available in two different versions.

- -LR2..NPP: cylindrical OD, with contact seals protected by a metal shield.
- -LR2..RRU: crowned OD with contact seals protected by a metal shield, inner ring with increased width to allow additional lubricant storage.

2.1.2 Track rollers LR 52-53..NPPU, LR 52-53..KDD

These are double rows angular contact ball track rollers. Due to their internal design, they can carry axial loads of large magnitude. They are available in two versions:

- -LR52-53..NPPU: crowned OD, contact seals protected by a metal shield.
- -LR52-53..KDD: cylindrical OD, with metal shields.

The track rollers with profiled outer ring are basically Double-rows Angular Contact Ball Bearings with a reinforced and profiled outer ring. The outer ring profile allows the units to operate on round shafts or other type of profiled raceways. The outer profile can have three different designs;

- Track rollers with gothic arch groove type LFR
- Track rollers with "V" shaped groove type RV
- Track rollers with "W" profile type RM



Type RV and RW can be supplied with the pertinent mounting hardware.

The largest portion of these products are used as linear guides.

2.2 Types

2.2.1 Track rollers LFR, mounting bolts and studs RC/RE

The track rollers series LFR can be used on round shafts with diameter from $4\ \mathrm{mm}$ to $50\ \mathrm{mm}$.

The contact between track roller gothic arch groove profile and shaft is on two points.

This allows the units to carry loads in both axial and radial direction.

The track rollers are available with either shields ZZ or contact seals 2RS.

2.2.2 Track rollers RV

The track rollers RV have a groove machined in the outer ring. The groove is "V" shaped with an included angle of 120 degrees. These units are predominantly used on shafts with diameters from 7 to 20 MM. The contact between track roller and shafts is on two points. In special cases, the units can run on profiled ways.

The units are supplied with non contact shields.

2.2.3 Track rollers with "W" profile, type RM

The track rollers series RM have grooves machined in the outer ring of the unit with an included angle of 90 degree. They have been engineered to run on profiled steel elements that have identical shape. They can run on either the internal or the external surfaces of the outer ring.

They are available with either non-contacting shields ZZ or contact seals 2RS.

3. Bearing tolerances

3.1 Standard of tolerances

Track roller bearing "tolerances" or dimensional accuracy and running accuracy, are regulated by ISO and JIS standards (rolling bearing tolerances). For dimensional accuracy, these standards prescribe the tolerances necessary when installing bearings on shafts or in housings.

Running accuracy is defined as the allowable limits for bearing runout during operation.

Table 3.1 Comparison of tolerance classifications of national standards

Standard			Tole	rance clas	s	
Japanese industrial standard (JIS)	ZIL	class 0,6X	class 6	class 5	class 4	class 2
International Organization for Standardization (ISO)	ISO	Normal class Class 6X	Class 6	Class 5	Class 4	Class 2
Deutsches Institut fur Normung(ISO)	DIN	PO	P6	P5	P4	P2
American National Standards Institute (ANSI)	ANSI/ABMA	ABEC-1	ABEC-3	ABEC-5	ABEC-7	ABEC-9



3.2 Tolerances for radial bearings

Table 3.2 Inner rings (Unit : μ m)

Nomine diam	al bore neter		Singl	e plan	e me	an bo	re did	amete	r dev	iation			Sing	le rad	ial pla	ane b	ore dic	mete	r vario	ation	
(d					$\triangle c$	lmp									V	dþ				
m	m	cla	ss O	cla	ss 6	clas	ss 5	cla	ss 4 0	cla	ss 2 [©]	class		eter se class 5		class 2			neter s class 5		
over	incl.	high	low	high	low	high	low	high	low	high	low	100	ā	max.		7	350		max.	17	7774
10	18	0	-8	0	-7	0	-5	0	-4	0	-2.5	10	9	5	4	2.5	8	7	4	3	2.5
18	30	0	-10	0	-8	0	-6	0	-5	0	-2.5	13	10	6	5	2.5	10	8	5	4	2.5
30	50	0	-12	0	-10	0	-8	0	-6	0	-2.5	15	13	8	6	2.5	12	10	6	5	2.5

Table 3.3 Inner rings (Unit : μ m)

	al bore neter		200		l plane r varia			Mean re dia	-	-		lnı	ner ring	g radio	al runc	out		e run	
4	d Vdp maxdiameter series 2,3,4				3.4			Vdmp					Kia				Sd		
m	mm				The same of the same of	Anne and	class 0	class 6	class 5	class 4	class 2	class 0	class 6	class 5	class 4	class 2	class 5	class 4	class 2
over	incl.			max.					max.					max.				max.	
10	18	6	5	4	3	2.5	6	5	3	2.0	1.5	10	7	4	2.5	1.5	7.0	3.0	1.5
18	30	8	6	5	4	2.5	8	6	3	2.5	1.5	13	8	4	3.0	2.5	8.0	4.0	1.5
30	50	9	8	6	5	2.5	9	8	4	3.0	1.5	15	10	5	4.0	2.5	8.0	4.0	1.5

Table 3.4 Inner rings (Unit : μ m)

17/17/17/19/3/3/3/17/17	al bore neter	THE PERSON NAMED IN	er ring ut (with	axial side)				Inner r	ing wid	dth dev	/iation				lnn	er ring	width	variet	ion
	d		Sia				nor	mal	Δ	Bs	ſ	mod	ified [©]				VBs		
m	ım	class 5	class 4	class 2	clas	s 0,6	clas	s 5,4	cla	ss 2	clas	s 0,6	clas	s 5,4	class 0	class 6	class 5	class 4	class 2
over	incl.				high	low	high	low	high	low	high	low	high	low			max.		
10	18	7	3	1.5	0	-120	0	- 80	0	- 80	0	- 250	0	- 250	20	20	5	2.5	1.5
18	30	8	4	2.5	0	-120	0	-120	0	-120	0	-250	0	-250	20	20	5	2.5	1.5
30	50	8	4	2.5	0	-120	0	-120	0	-120	0	-380	0	-250	20	20	5	3.0	1.5

Note: lacktriangle The dimensional difference $\triangle ds$ of bore diameter to applied for class 4 and 2 is the same as the tolerance of dimentional difference $\triangle dmp$ of average bore diameter. However, the dimensional difference is applied to diameter series 0, 1, 2, 3 and 4 against Class 4, and to all the diameter series against Class 2.

- To be applied for deep groove ball bearing and angular contact ball bearings.
- To be applied for individual raceway rings manufactured for combined bearing use.

Symbols: \triangle dmp: deviation of the mean bore diameter from the nominal (\triangle dmp = dmp - d).

Vdp: bore diameter variation: difference between the largest and smallest single bore diameters in one plane. Vdmp: mean bore diameter variation; difference between the largest and smallest mean bore diameters of one

ring or washer.

Kia: radial runout of assembled bearing inner ring and assembled bearing outer ring, respectively,

Sd: side face runout with reference to bore (of inner ring).

Sia: side face runout of assembled bearing inner ring and assembled bearing outer ring, respectively. $\triangle Bs$: deviation of single inner ring width or single outer ring width from the nominal ($\triangle Bs = Bs - B$ etc.)

VBs: ring width variation; difference between the largest and smallest single widths of inner ring and of outer ring, respectively.



(Unit: μ m) Table 3.5 Outer rings

	l Outside neter	S	ingle	plane	mea	n outs	ide d	iamet	er de	viatio	n		Sin	gle ra	dial pl	ane out	ide dia	meter	variati	on	
I	D					$\triangle I$)mp									V)p				
2010													diam	eter se	eries 9		mo	ıxdian	neter s	eries (0.1
m	ım	cla	ss O	cla	ss 6	cla	s 5	cla	ss 4	cla	ss 2	class		class 5	class 4	class 2	class	class	class		class 2
over	incl.	high		high	37.5	high	low	high	low	high	low	U	6	max	-	2	U	۰	max.	4	2
6	18	0	-8	0	-7	0	-5	0	-4	0	-2.5	10	9	5	4	2.5	8	7	4	3	2.5
18	30	0	-9	0	-8	0	-6	0	-5	0	-4.0	12	10	6	5	4.0	9	8	5	4	4.0
30	50	0	-11	0	-9	0	-7	0	-6	0	-4.0	14	11	7	6	4.0	11	9	5	5	4.0
50	80	0	-13	0	-11	0	-9	0	-7	0	-4.0	16	14	9	7	4.0	13	11	7	5	4.0
80	120	0	-15	0	-13	0	-10	0	-8	0	-5.0	19	16	10	8	5.0	19	16	8	6	5.0

Table 3.6 Outer rings (Unit: μ m)

	l Outside neter	Single ra	dial plane	e outside	diameter	variation	The state of the s	plane outside rvariation	Me	STATE OF THE PERSON NAMED IN	gle plar eter va		ide
I	D			VDÞ				Op 6			VDmþ		
20-2	A STATE OF THE STA		maxdia	meter se	ries 2.3.4		capped bearing	s diameter series					
m	ım	class	class	class	class	class	2,3,4	0,1,2,3,4	class 0	class	class 5	class 4	class 2
over	incl.	0 6 5 4 2 max.					class 0 m	class 6 ax.	U	۰	max.	•	2
6	18	6	5	4	3	2.5	10	9	6	5	3	2.0	1.5
18	30	7	6	5	4	4.0	12	10	7	6	3	2.5	2.0
30	50	8	7	5	5	4.0	16	13	8	7	4	3.0	2.0
50	80	10	8	7	5	4.0	20	16	10	8	5	3.5	2.0
80	120	11	10	8	6	5.0	26	20	11	10	5	4.0	2.5

Symbols: $\triangle Dmp$: deviation of the mean outside diameter from the nominal ($\triangle Dmp=Dmp-D$),

VDp: outside diameter variation; difference between the largest and smallest single outside diameters in one plane,

VDmp: mean outside diameter variation; difference between the largest and smallest mean outside diameters of one ring or washer.



Table 3.7 Outer rings	(Unit: μ m)
-----------------------	-----------------

	l Outside neter	Ou	ter rin	g radi	al run	out		ide su clinati			tside r al run		Outer ring width deviation		r ring w ariation		
I)			Kea				SD			Sea		$\triangle c_s$		Vcs		
m	ım			class			100000000000000000000000000000000000000	class	OTTO TOTAL	Strikenoop	class			class		class	
over	incl.	0	6	5 max	. 4	2	5	max.	2	5	max.	2	all type	0,6	5	max.	2
6	18	15	8	5	3	1.5	8	4	1.5	8	5	1.5	ldentical to	Identical to	5	2.5	1.5
18	30	15	9	6	4	2.5	8	4	1.5	8	5	2.5	$\triangle Bs$ of inner	$\triangle Bs$ and Vbs	5	2.5	1.5
30	50	20	10	7	5	2.5	8	4	1.5	8	5	2.5	ring of same bearing	of inner ring of same	5	2.5	1.5
50	80	25	13	8	5	4.0	8	4	1.5	10	5	4.0		bearing	6	3.0	1.5
80	120	35	18	10	6	5.0	9	5	2.5	11	6	5.0			8	4.0	2.5

Note: The dimensional difference $\triangle Ds$ of outer diameter to be applied for classes 4 and 2 is the same as the tolerance of dimensional difference $\triangle Dmp$ of average outer diameter. However, the dimensional difference is applied to diameter series 0,1,2,3 and 4 against Class 4, and also to all the diameter series against Cfass 2.

- 6 To be applied in case snap rings are not installed on the bearings.
- To be applied for Track Roller Bearings.

Symbols: Kea: radial runout of assembled bearing inner ring and assembled bearing outer ring, respectively.

SD: outside inclination variation: variation in inclination of outside cylindrical surface to outer ring side face,

Sea: side face runout of assembled bearing inner ring and assembled bearing outer ring, respectively.

 $\triangle Cs$: deviation of single inner ring width or single outer ring width from the nominal ($\triangle Bs = Bs - B$ etc.)

VCs: ring width variation; difference between the largest and smallest single widths of inner ring and of outer ring, respectively.

4. Bearing fits

Track rollers are precision machine elements. These products must be very carefully handled before and during fitting. Their trouble-free operation depends largely on the care taken during fitting

4.1 Compatibility and miscibility

The anti-corrosive preservation oil used for rolling bearings is compatible and miscible with oils and greases with a mineral oil base. Compatibility should be checked if the following are used:

- synthetic lubricants
- thickeners other than lithium or lithium complex soaps.

If there is an incompatibility, the anti-corrosive oil should be washed out before greasing, particularly in the following cases:

- lubricants based on PTFE/alkoxyfluoroether
- lubricants with a polycarbamide thickener

and if

- the lubricant is changed
- the rolling bearings are contaminated.

If in doubt, please contact the relevant lubricant manufacturer.

4.2 Guidelines for fitting

- The assembly area must be kept clean and free from dust
- Protect bearings from dust, contaminants and moisture
 - •contaminants have a detrimental influence on the running and operating life of rolling bearings
- Inspect the housing bore and shaft/axis seating for
 - dimensional and geometrical tolerances
 - cleanliness



- Lightly oil the bearing ring seating surfaces or rub with solid lubricant
- Do not cool the bearings excessively
 - •Moisture due to condensation can lead to corrosion in the bearings and bearing seatings
- After fitting
 - •charge ungreased rolling bearings with lubricant
 - •check the correct functioning of the bearing arrangement.

4.3 Fitting tools

- Induction heating device (see figure below)
- Heating cupboard
 - •heating up to +80 °C

Mechanical or hydraulic press

- •fitting sleeves should be used which cover the whole circumference of the bearing ring end faces
- Hammer and fitting sleeve
 - •light hammer blows should be centrally directed on the fitting sleeve

Note: Fitting forces must never be directed through the rolling elements. Direct blows on the bearing rings must be avoided.



Heating with an induction heater

4.4 Dismantling guidelines

- Dismantling should be taken into consideration in the original design of the bearing location
- If the bearings are to be reused:
 - •direct blows on the bearing rings should be avoided
 - dismantling forces should not be applied through the rolling elements
 - •bearings should be carefully cleaned once dismantled
 - do not use a concentrated or hard flame.

4.5 Fitting and dismantling of yoke type track rollers (ball type)

- If the tolerance zone is unfavourable: the bearing should be pressed into place using a fitting press (see figure below)

• The inner ring must be fitted such that the pressing-in force is distributed uniformly on theend face of the inner ring.

Note: Fitting forces must not be directed through the rolling elements.

It must be ensured that the seals are not damaged during fitting.

 Track rollers must be secured axially according to the advice given.



Fitting of the yoke type track roller using a fitting press


Note: Extraction forces must not be directed through the outer ring. This could damage the rolling elements and seals.

4.6 Fitting and dismantling of stud type track rollers (ball type)

Stud type track rollers are fitted and dismantled by methods similar to those used for yoke type track rollers (see figure below).

Note: The tightening torques given in the dimension table must be observed. Only then can the permissible radial load be ensured.

Screws and nuts of grade ≥ 8.8 must be used.



Fitting of a stud type track roller



5. Bearing internal clearance

Track Roller Bearing internal clearance (initial clearance) is the amount of internal clearance a bearing has before being installed on a shaft or in a housing. The internal clearance valves for NIKO Track roller bearing classes are shown in tables 5.1

Table 5.1 Radial internal clearance of track roller bearings

(Unit: μ m)

AND THE PARTY STATES	re diameter mm)	c	22	No	rmal	c	3	c	:4
over	incl.	min.	max.	min.	max.	min.	max.	min.	max.
=	10	6	12	8	15	15	22	22	30
10	18	6	12	8	15	15	24	30	40
18	30	6	12	10	20	20	32	40	55
30	50	8	14	14	25	25	40	55	75

6. Lubrication

- 6.1 Track rollers series LR 2..are supplied grease filled. (The lithium soap grease).
- 6.2 Track rollers series LR 52..are supplied grease filled. (The lithium soap grease).
- 6.3 Track rollers LFR, mounting bolts and studs RC/RE

The units are supplied with lifetime grease lubrication

The size with an outside diameter 52 mm or greater have a lubrication hole in the inner ring. To prevent mixing of greases with different characteristics, please insure to perform the lubrication of the units with lubricants that have the same characteristics as the grease used at the factory. Mounting bolts are available in both eccentric RE and concentric RC versions. The eccentric bolts RE and RE..A1 allow the adjustment of the operating clearance.

Bolts of series RE..A1 and RC..A1 have facilities that enable relubrication of the track rollers. The mounting bolts of series RC hare supplied with the pertinent washer, while the one of series RE have both washer and nut.

The units RC..A1 and RE..A1 also incorporate the grease fitting and its relative cover plug.

6.4 Track rollers RV

The units are supplied with lifetime lubrication.

6.5 Track rollers with "W" profile, type RM

The units are supplied with lifetime grease lubrication.



7. Load rating and life

If the track rollers operate on a flat surface/raceway, the outer ring deforms (fig.1)


When compared with a bearing mounted in a suitable housing, track rollers have the following characteristics:

- Modified load distribution

This is accounted for by using the load factors Cw and Cow when calculating the life.

- Alternating bending stress on the outer ring

This is taken into account by the load coefficients Frperm and Fro perm (see dimension tables). The stresses must not exceed the allowable limits.



7.1 Load ratings and life calculation

The dynamic load rating of the track roller is determined

by the fatigue limit of the material. The life of the track roller is defined as the period of use before the ppearance of fatigue. The ability of a track roller to carry dynamic loads is statistically derived.

7.1.1 Life calculation

The formula to calculate the nominal life is as follows:

$$L = (\frac{CW}{P})^3$$

$$L_h = \frac{833}{\text{H.nosz}} \left(\frac{\text{CW}}{\text{P}}\right)^3$$

$$L_h = \frac{1666}{Vm} \left(\frac{CW}{P}\right)^3$$

L = nominal life in 10⁵ m reached by 90% of a statistically significant number of apparently identical bearing operating under the same loading condition before the onset of metal fatigue.

 $L_h[h]$ = nominal life in hours

 C_w [N] = Dynamic load rating. Is the load that would yield a nominal life of 105 m.

P [N] = equivalent dynamic load

H[m] = stroke

 n_{osz} [min⁻¹] = frequency of operation

 V_m [m/min] = mean operating velocity

7.1.2 Radial dynamic limit load Fr perm

When selecting the product it is necessary to insure that no loading condition will exceed the allowable load.



8. Bearing handling

8.1 Storage

The bearings should be stored:

- in dry, clean rooms with the temperature as constant as possible
- at a relative humidity of max. 65%.

The storage period for greased and sealed bearings is limited by the shelf life of the grease.

8.2 Removal from packaging

Perspiration from handling leads to corrosion. Hands should be kept clean and dry and gloves worn if necessary.

Bearings should only be removed from their original packaging immediately before assembly. If only a few bearings are taken out of a multi-piece package preserved by volatile corrosion inhibitor paper, the package must be closed again immediately

- the protective vapour phase is only effective when the package is closed
- the bearings which have been taken out must be greased or oiled immediately.

9. Allowable speed

As bearing speed increases, the temperature of the bearing also increases due to friction heat generated in the bearing interior. If the temperature continues to rise and exceeds certain limits, the efficiency of the lubricant start to fail down drastically, and the bearing can no longer continue to operate in a stable manner. Therefore, the maximum speed at which it is possible for the bearing to continuously operate without the generation of excessive heat beyond specified limits, is called the allowable speed (r/min). The allowable speed of a bearing depends on the type of bearing, bearing dimensions, type of cage, load, lubricating conditions, and cooling conditions.

The allowable speeds listed in the bearing tables for grease and oil lubrication are for **NIKD** track roller under normal operating conditions, correctly installed, using the suitable lubricants with adequate supply and proper maintenance. Moreover, these values are based on normal load conditions ($P \le 0.09C$, $Fa/Fr \le 0.3$). For track roller with contact seals, the allowable speed is determined by the peripheral lip speed of the seal.

For track roller to be used under heavier than normal load conditions, the allowable speed values listed in the bearing tables must be multiplied by an adjustment factor. The adjustment factors f_L and f_C are given in Figs. 9.1 and 9.2.



Under such high speed operating conditions, when special care is taken, the standard allowable speeds given in the bearing tables can be adjusted upward. The maximum speed adjustment values, /B, by which the bearing table speeds can be multiplied, are shown in Table 9.1. However, for any application requiring speeds in excess of the standard allowable speed, please consult NIKO Engineering.

Fig. 9.1 Value of adjustment factor FL depends on bearing load





Fig. 9.2 Value of adjustment factor Fc depends on combined load



18

Table 9.1 Adjustment factor, $f_{\rm B}$, for allowable number of revolutions


Type of bearing	Adjustment factor f_B
Track rollers bearings	2.0









TRACK ROLLER BEARINGS DOUBLE ROW SERIES LR.NPP; LR.RRU







Boundary	Bearing number		Bound	lary dime	ensions		Basic loc dynamic	ad ratings static	Limiting s	peeds	Mass
dimensions d		D	С	γs	dı	В	С	Co	grease	oil	kg.
mm				mm			1	N	rpn	n	(approx.)
10	LR 200 NPP	32	9	0.6	15.4	5.7	4,200	2,050	13,000	-	0.050
12	LR 201 NPP	35	10	0.6	17.1		5,500	2,600	15,000	-	0.050
15	LR 202 NPP	40	11	0.6	20.0	(6,700	3,150	14,000	*	0.070
17	LR 203 NPP	47	12	0.6	22.5		9,100	4,200	11,000	-	0.110
20	LR 204 NPP	52	14	1.0	26.5	9 -	11,800	5,400	10,000	-	0.150
25	LR 205 NPP	62	15	1.0	30.3	22	14,900	6,800	9,000	1945 E	0.230
30	LR 206 NPP	72	16	1.0	37.4	(¥)	20,800	9,200	5,500	141	0.330
35	LR 207 NPP	80	17	1.1	42.4	V=1	26,100	11,400	4,500	3 = 3	0.400
45	LR 209 NPP	90	19	1.1	53.2	(-)	30,300	13,100	3,600	-	0.450
12	LR 201 RRU	35	10	0.6	18.5	15.0	5,500	3,000	15,000	-	0.070
15	LR 202 RRU	40	11	0.6	21.5	14.4	6,700	3,500	14,000	:=:	0.080






TRACK ROLLER BEARINGS DOUBLE ROW SERIES LR 52..NPPU; LR 52..KDD






Boundary	Bearing number		Boundary o	dimension	5	Basic loc	d ratings	Limiting s	peeds	Mass
$\frac{\textit{dimensions}}{d}$		D	С	Υs	dı	C	Со	grease	oil	kg.
mm			m	m		1	V	rpn	n	(approx.)
10	LR 5200 NPPU	32	14.0	0.6	15.4	6,500	3,900	8,000	:80	0.070
12	LR 5201 NPPU	35	15.9	0.6	17.1	8,500	4,900	7,500	5 5 5	0.080
15	LR 5202 NPPU	40	15.9	0.6	20.0	10,100	5,900	7,000	1 	0.110
17	LR 5203 NPPU	47	17.5	0.6	22.5	13,700	7,800	5,500	1 X	0.170
20	LR 5204 NPPU	52	20.6	1.0	26.5	17,700	10,000	5,000		0.230
25	LR 5205 NPPU	62	20.6	1.0	30.3	22,000	12,400	4,500		0.340
30	LR 5206 NPPU	72	23.8	1.0	37.4	30,700	20,400	3,500	(0.510
35	LR 5207 NPPU	80	27.0	1.1	42.4	39,400	21,300	2,800	121	0.660
40	LR 5208 NPPU	85	30.2	1.1	48.4	45,500	24,300	2,500	-	0.750
10	LR 5200 KDD	32	14.0	0.6	15.4	6,500	3,900	11,000	21 1 3 13 13 13 13 13 13 13	0.070
12	LR 5201 KDD	35	15.9	0.6	17.1	8,500	4,900	10,000	186	0.080
15	LR 5202 KDD	40	15.9	0.6	20.0	10,100	5,900	10,000	140	0.110
17	LR 5203 KDD	47	17.5	0.6	22.5	13,700	7,800	7,500	:=:	0.170
20	LR 5204 KDD	52	20.6	1.0	26.5	17,700	10,000	7,000	5 5 5	0.230
25	LR 5205 KDD	62	20.6	1.0	30.3	22,000	12,400	6,500	: = 3	0.340
30	LR 5206 KDD	72	23.8	1.0	37.4	30,700	20,400	5,000	ā lā lā	0.510
35	LR 5207 KDD	80	27.0	1.1	42.4	39,400	21,300	3,900	3 17 5	0.660
40	LR 5208 KDD	85	30.2	1.1	48.4	45,500	24,300	3,500	1.77.1	0.750






TRACK ROLLER BEARINGS DOUBLE ROW SERIES LR 53. NPPU




NPPU


Boundary dimensions	Bearing number		Boundary o	dimension	s	Basic loc dynamic	ad ratings static	Limiting	speeds	Mass
d		D	С	rs	dı	С	Co	grease	oil	kg(s).
mm			m	m		1	N	rpr	n	(approx.)
17	LR 5303 NPPU	52	22.2	1.0	23.5	19,300	10,600	4,700	:=:	0.210
20	LR 5304 NPPU	62	22.2	1.1	29.0	25,100	13,800	4,500	5=3	0.340
25	LR 5305 NPPU	72	25.4	1.1	34.4	34,300	18,600	3,900	17.	0.500
30	LR 5306 NPPU	80	30.2	1.1	41.4	47,200	25,200	3,100	1 	0.670
35	LR 5307 NPPU	90	34.9	1.5	47.7	59,800	31,400	2,500		0.970
40	LR 5308 NPPU	100	36.5	1.5	52.4	78,000	39,900	2,300		1.200






TRACK ROLLER BEARINGS DOUBLE ROW SERIES LFR..2RS; LFR..2Z






Boundary dimensions		number		Bou	ndary	dimens	sions		Basic Ioa dynamic	d ratings static	Limiting	speeds	Mass
d			dw	D	C	В	A	rs	С	Co	grease	oil	kg(s).
mm					m	m			N		rp	m	(approx.)
4	LFR 50/4-4 2Z	LFR 50/4-42RS	4	13.0	6.0	7.0	7.55	0.2	1050	850	1150	1600	0.007
5	LFR 50/5-4 2Z	LFR 50/5-4 2RS	4	16.0	7.0	8.0	9.00	0.2	1200	860	1300	1780	0.009
5	LFR 50/5-6 2Z	LFR 50/5-6 2RS	6	17.0	7.0	8.0	10.50	0.2	1270	820	1300	1780	0.010
8	LFR 50/8-6 2Z	LFR 50/8-62RS	6	24.0	11.0	11.0	14.00	0.3	3670	2280	1300	4560	0.020
12	LFR 5201-10 2Z	LFR 5201-10 2RS	10	35.0	15.9	15.9	20.65	0.3	8500	5100	5100	10200	0.080
12	LFR 5301-10 2Z	LFR 5301-10 2RS	10	42.0	19.0	19.0	24.00	0.6	13000	7700	7500	14200	0.100
15	LFR 5302-10 2Z	LFR 5302-10 2RS	10	47.0	19.0	19.0	26.65	1.0	16200	9200	6200	18400	0.170
12	LFR 5201-12 2Z	LFR 5201-12 2RS	12	35.0	15.9	15.9	21.75	0.3	8400	5000	5100	10000	0.085
12	LFR 5201-14 2Z	LFR 5201-14 2RS	14	39.9	18.0	20.0	24.00	0.3	8900	5000	6700	12100	0.095
20	LFR 5204-16 2Z*	LFR 5204-16 2RS*	16	52.0	20.6	22.6	31.50	0.6	16800	9500	12100	16600	0.230
25	LFR 5206-20 27*	LFR 5206-20 2RS*	20	72.0	23.8	25.8	41.00	0.6	29500	16600	20700	33200	0.250
25	LFR 5206-25 21*	LFR 5206-25 2RS*	25	72.0	23.8	25.8	43.50	0.6	29200	16400	23100	32800	0.250
30	LFR 5207-30 21*	LFR 5207-30 2RS*	30	0.08	27.0	29.0	51.00	1.0	38000	20800	21400	36200	0.660
40	LFR 5208-40 2I*	LFR 5208-40 2RS*	40	98.0	36.0	38.0	62.50	1.0	54800	29000	55000	58000	1.360
40	LFR 5308-50 2Z*	LFR 5308-50 2RS*	50	110.0	44.0	46.0	72.50	1.1	53000	39500	69000	79000	1.400


Remark: * Standard with lubrication hole on inner ring







TRACK ROLLER BEARINGS DOUBLE ROW SERIES RC..; RE..






RC..; RE..






RC..A1; RE..A1

Bearing number								В	ound	ary dim	ensions									Mass
	Aı	A2	Аз	A4	A5	A_6	A7 h9	dı	d2	M ₁	M ₂	Κı	K2	Dυ	SW	SW ₁	SW2	e e	М	kg(s).
RC 5; RE 5-05	19.5	16.0	9.5	20.5	15.0	9.0	-	-	-	M4	M4	2.9	-	(=	3	7	2	0.50	-	0.010
RC 8; RE 8-1	28.3	24.3	14.0	33.2	22.0	13.7	3.5	-	-	M8	M8x0.75	4.0	1.0	14	13	13	2	1.00	-	0.020
RC 12; RE 12-1	43.0	36.0	22.0	50.0	33.5	19.5	5.0		=	M10	M10	8.0	1.8	21	17	17	5	1.00	-	0.040
RC 12/M12; RE 12-1/M12	50.8	43.8	24.0	57.0	41.0	24.0	5.0	i i	-	M12	M12	6.5	1.8	19	17	17	6	1.00	-	0.060
RC 15; RE 15-1	50.8	43.8	26.0	57.0	41.0	24.0	5.0	ĕ	=	M12	M12	6.5	1.8	21	19	19	6	1.00	-	0.060
RC 12X45 A1; RE 12X45 A1	50.0	45.0	16.0	31	30.0	(- - -	10	20	M10x1	.5 -	8.0	2.0	21	17	17	6	0.75	5.9	0.040
RC 20X67 A1; RE 20X67 A1	75.0	67.0	23.0	-	45.0	-	-	17	30	M16x1	.5 -	13.0	3.0	30	27	24	÷	1.00	5.9	0.200
RC 25X82 A1; RE 25X82 A1	92.0	82.0	30.0	-	57.0	82	94	22	40	M20x1	.5 -	16.0	3.0	37	36	30	_	1.00	5.9	0.400
RC 30X95 A1; RE 30X95 A1	107.0	95.0	32.0	20	67.0	12	S <u>a</u> r	27	45	M24x1	.5 -	19.0	4.0	44	41	36	2	1.00	5.9	0.620
RC 40X107 A1; RE 40X107 A1	117.0	107.0	42.0	20	72.0		(2)	36	55	M30x1	.5 -	24.0	4.0	56	46	46	=	1.00	5.9	1.100
RC 40X115 A1; RE 40X115 A1	125.0	115.0	42.0		72.0	84	120	36	55	M30x1	.5 -	24.0	4.0	56	46	46	-	1.00	5.9	1.200






TRACK ROLLER BEARINGS DOUBLE ROW SERIES $\,$ RV




Boundary	Bearing number		Bound	lary dim	ensions		Basic loa	d ratings	Limiting	speeds	Mass
dimensions d		dw	D	С	Α	rs	C	Со	grease	oil	kg.
mm				mm			1	1	rp	m	(approx.)
7	RV 20/7-10	10	22	11	14.50	0.3	2,450	1,620	2,350	4,150	0.017
8	RV 20/8-10	10	30	14	18.10	0.3	4,490	2,700	11,000	19,800	0.062
15	RV 202/15.38-10	10	38	17	22.25	0.5	7,290	4,550	10,200	17,900	0.086
15	RV 20/15.40-10	10	40	18	22.00	0.5	7,950	4,950	14,500	26,500	0.110
12	RV 201/12-20	20	41	20	28.00	0.3	8,180	5,100	17,200	31,500	0.130
15	RV 202/15.41-20	20	41	20	28.00	0.5	8,180	5,100	17,200	31,500	0.120
17	RV 203/17-20	20	58	25	35.00	0.5	16,580	9,200	47,000	86,000	0.325
20	RV 204/20.57-30	30	57	22	41.00	0.6	16,910	9,200	47,000	86,000	0.290
20	RV 204/20.58-30	30	58	25	41.00	0.6	16,790	9,200	40,000	72,000	0.310


Remark: * The unit contamination protection is provided by side shields 2Z.






TRACK ROLLER BEARINGS DOUBLE ROW SERIES RM..2Z; RM..2RS






Boundary	Bearing	number		Bound	ary dime	ensions		Basic load	d ratings static	Limiting	speeds	Mass
dimensions d			D	Α	С	Aı	rs	С	Co	grease	oil	kg.
mm					mm			N		rp	m	(approx.)
4.763	RM 12Z	RM 1 2RS	19.56	11.86	7.87	7.93	0.3	1,650	1,140	4,150	7,500	0.012
9.525	RM 2 2 Z	RM 2 2RS	30.73	18.24	11.10	12.70	0.3	8,260	2,650	6,500	11,700	0.040
11.999	RM 3 2 Z	RM 3 2RS	45.72	26.98	15.88	19.05	0.6	5,530	5,200	31,000	55,000	0.136
15.001	RM 42Z	RM 4 2RS	59.94	34.93	19.05	25.40	1.0	16,250	9,200	39,500	72,000	0.285





TRACK ROLLER BEARINGS DOUBLE ROW


SERIES RV..C; RV..E



Boundary	Bearing	number					Bour	dar	y d	imen	sior	ıs				Basic load		Limiting	speeds	Mass
dimensions dw	concentric	eccentric	D	C	Α	L	Lı	L2	Lз	L4	Cı	C ₂	е.	SW	M	N		rp	m	kg.
mm									mr	n						C	Co	grease	oil	(approx.)
10	RV 22 C	RV 22 E	22	11	14.5	26	8.5	8	4	5.5	3	3.0	1.5	3	M 6	2,450	1,620	2,350	4,150	0.028
10	RV 30 C	RV 30 E	30	14	18.1	33	9.5	9	6	8.0	2	2.5	1.5	4	M8	4,490	2,700	11,000	19,800	0.069
10	RV 38 C	RV 38 E	38	17	22.3	42	11.0	11	8	12.0	3	2.5	2.0	5	M10	7,290	4,550	10,200	17,900	0.145
20	RV 41 C	RV 41 E	41	20	28.0	47	15.0	13	6	13.0	3	5.0	2.0	6	M12	8,180	5,100	17,200	31,500	0.190
20	RV 58 C	RV 58 E	58	25	35.0	59	17.0	19	11	13.0	6	4.0	2.5	6	M16	16,580	9,200	47,000	86,000	0.460

Remark: * Track rollers with integral studs are supplied with split washer and nut.


 \ast The unit contamination protection is provided by side shields 2Z.






TRACKROLLERBEARINGSDOUBLEROW

SERIES RPC; RPE




Boundary	Bearing n	number				Во	unda	ry din	nensi	ions				Basic loa		Limiting	speeds	Mass
$\frac{\text{dimensions}}{dw}$	concentric	eccentric	D	С	Α	L	Cı	C ₂	Сз	C4	е	SW	М	dynamic N		rp	m	kg.
mm								mm						С	Co	grease	oil	(approx.)
6	RPC 17	RPE 17	17	7.0	10.50	23	1.5	1.5	5	5.5	0.50	2.5	M5	1,250	850	1,250	1,700	0.015
6	RPC 24	RPE 24	24	11.0	14.00	29	3.0	2.0	6	7.0	0.50	4.0	M8	3,500	2,200	1,250	4,350	0.042
10	RPC 35	RPE 35	35	15.9	20.65	44	3.2	2.0	10	13.0	0.75	5.0	M10	8,100	8,100	4,900	9,700	0.120

Remark: * Track rollers with integral studs are supplied with split washer and nut.






TRACK ROLLER BEARINGS DOUBLE ROW SERIES RA..A



Bearing number				Bou	ndary	dimens	sions				Basic loa dynamic		Limiting	speeds	Mass
	D	С	L	C_1	C ₂	Сз	C4	е	SW	M	C	Со	grease	oil	kg.
					m	ım					N		rp	m	(approx.)
RA 35 A	35	15.9	42	2.1	5	6.0	13	1.0	5	M12	8,100	4,900	4,900	9,700	0.150
	52	22.2	C 10 C 10	3.3	- 02	9.5	. Co . A.1	1.5		5785 SF 501	16,000	9,100	11,500	15,800	0.345

Remark: * Track rollers with integral studs are supplied with split washer and nut.


* The unit contamination protection is provided by side shields 2Z.





NIPPON KODO AUTOMATION TECHNOLOGY

NIPPON KODO CO., LTD. **DSAKA-JAPAN**



Brand Promise!



LINEAR MOTION 2012





FAIT GROUP SPA

VIA SCARPETTINI, 367-369 59013 OSTE MONTEMURLO (PO) ITALY

TEL: +39 0574 68121

FAX. +39 0574 681262

E-MAIL: INFO@FAITGROUP.IT

WWW.FAITGROUP.IT

NIPPON KODO AUTOMATION TECHNOLOGY CO. LTD.

ROOM 205, GRANDEUR IMAZATO BLDG.

No. 1-4, 4-Chome, IMAZATO,

NAGAOKAKYO-CITY 617-0814, KYOTO, JAPAN

TEL: 81-75-959-0221

FAX: 81-75-959-0222

E-MAIL: NIKO@NIPPONKODOJAPAN.COM WWW.NIPPONKODOBEARINGS.CO.JP