

[NIKO TRACK ROLLER BEARINGS \ LINEAR BEARINGS BOX  
PACKING METHOD]



Inner bore < 90mm, we use individual  
small box packing.

PAGES

For example,

NIKO LFR 50/4-4 2RS (5x1), it means 5 pcs in a small box with  
5pcs in a roll, total 1 rolls in a box.

6 ~ 8

Concerning the model number without remark(OEM1), Inner bore < 90mm, we also use small box packing./ n x n packing, please refer to (A)-(H)

For example,


NIKO LFR 50/4-4 2RS (5x1), it means 5 pcs in a small box with 5pcs in a roll, total 1 rolls in a box.

**PACKING METHOD: 5 x 1**

(A): Packed with VCI antirust paper;



(B): Bearings' shrinkage is used PVC hot shrink film;



(C): Paste the model label on the small box;



(D): Put the bearings into the suitable small box;



(E): Paste tape for small box, Then small box packing finished;




(F): Put the individual small box packing into the carton, carton plastic bag has been in the carton (including big and small carton, bearing outer diameter  $\leq 40$ mm have used small carton, the others big carton);



(G): Envelop the carton, and paste tape for outer carton;



(H): Put all the cartons on the pallet, then covered with pallet surrounding paper-cartons to make sure the shipment fixedness;



Final packing effect is finished.

