

## [NIKO NEEDLE ROLLER BEARINGSBOX PACKING METHOD]



Inner bore < 90mm, we use individual small box packing.

PAGES

For example,

NIKO NATV 5 LL (5x1), it means 5 pcs in a small box with 5pcs in a roll, total 1 rolls in a box.

**9~11** 



Concerning the model number without remark(OEM1), Inner bore < 90mm, we also usesmall box packing./ n x n packing, please refer to (A)-(H)

## For example,

NATV 5 LL (5x1), it means 5 pcs in a small box with 5pcs in a roll, total 1 rolls in a box.

## PACKING METHOD: 5x1

(A): Packed with VCI antirust paper;







(B): Bearings' shrinkage is used PVC hot shrink film;



+







(C): Paste the model label on the small box;



+ ANATV 5 LL(5x1)



(D): Put the bearings into the suitable small box;



+







(E): Paste tape for small box, Then small box packing finished;











(F): Put the individual small box packing into the carton, carton plastic bag has been in the carton (including big and small carton, bearing outer diameter ≤ 40mm have used small cartoon, the others big cartoon);









(G): Envelop the carton, and paste tape for outer carton;



+



=



(H): Put all the cartons on the pallet, then covered with pallet surrounding paper-cartons to make sure the shipment fixedness;



+



=



Final packing effect is finished.



